

LOADALL | COMPACT CONSTRUCTION RANGE

JCB



STAGE V

GROSS POWER
19kW - 55kW

LIFT CAPACITY
1400kg to 2500kg

LIFT HEIGHT
4m - 6m


ULTIMATE PRODUCTIVITY

Our Compact Loadall range provides powerful performance and versatility with excellent manoeuvrability, whilst making the most of every drop of fuel.



MAXIMUM MANOEUVRABILITY

A compact wheelbase and tight steering lock angles ensure excellent manoeuvrability in tight spaces.



ULTIMATE STRENGTH

We've used innovative, state-of-the-art design and manufacturing processes to ensure that strength, durability and reliability are built in.



EXCEPTIONAL DURABILITY

Through rigorous testing and validation programs, JCB Loadalls are built to last.

ULTIMATE COMFORT

Our Compact Loadall cabs are great places to work, with high levels of comfort, easy-to-use controls and good visibility, keeping operators productive.



MAXIMUM CONTROL

Single-lever joystick controls with proportional auxiliaries are easy to use for precise control.



ULTIMATE EFFICIENCY

Our Compact Loadall range offers extremely low operational costs in the short term, whilst holding their value in the long term.



MAXIMUM RESALE

Our continuous innovation in all areas of design and build keep resale values healthy.

ULTIMATE SAFETY

Safety is paramount on any site. That's why we've designed our new JCB Compact Loadall range to protect machine, operator and bystanders alike.



MAXIMUM SECURITY

Our Adaptive Load Control system automatically prevents machines from tipping forward during heavy load handling.



LOADALL | COMPACT CONSTRUCTION RANGE



SPECIFICATION

MODEL RANGE		514-40	516-40	520-40	525-60
Lift height	m	4	4	4	6
Lift capacity	kg	1400	1600	2000	2500
Maximum speed	kph	15	15	15	25
Maximum engine power	kW	19	19	19	55
Lift capacity @ full reach	kg	525	700	900	750
Lift capacity @ full height	kg	1300	1600	2000	2000
Reach with 1 tonne payload	m	1.51	1.93	2.1	3



STANDARD FEATURES

- Stage V compliant engine
- No complex aftertreatment or emission control systems
- Permanent 4-wheel drive
- 4-wheel steering as standard
- LiveLink telematics
- Variable hydrostatic transmission
- Wide range of carriage options available
- Ultra compact design



ULTIMATE PERFORMANCE IN A SMALL PACKAGE

REQUEST A QUOTE

 **JCB**

www.jcb.com

